Google™

Web   Images   Video^{New!}   News   Maps   more »

OCAP error handling cable

[Search]   Advanced Search
Preferences

Web

Results **1 - 10** of about **497** for **OCAP error handling cable**. (0.35 seconds)

[PDF] Java4iTV_workshop_5Day_p1 060615
File Format: PDF/Adobe Acrobat - View as HTML
OCAP and OpenCable are trademarks of **Cable** Television Laboratories, Inc. ... Introduces
exception **handling**, including:. • **Handling** exceptions ...
www.vidiom.com/pdfs/**OCAP**%20for%20iTV%20Developers.pdf - Similar pages

Flexible digital **cable** network architecture - Patent 7058964
A digital **cable** network architecture and services method includes a **cable** medium ...
resource conflict, event **handling, error handling** and system functions. ...
www.freepatentsonline.com/7058964.html - 63k - Cached - Similar pages

System and method for reducing fraud in a digital **cable** network ...
OCAP™ also specifies a mechanism for platform validation, which detects ... resource
conflict, event **handling, error handling** and system functions. ...
www.freepatentsonline.com/6993132.html - 60k - Cached - Similar pages

CableLabs® Conducts Advanced Testing on Digital Ad Insertion
Error Handling of several severe failure modes; Rigorous splice time accuracy ... Founded
in 1988 by members of the **cable** television industry, **Cable** ...
www.**cable**labs.com/news/pr/2002/2002_05_06.html - 15k - Cached - Similar pages

A sneak peek at **cable's** battle plan for the future - 5/1/2004 ...
Higher-end, "next-gen" boxes under NGNA will likely support DOCSIS 2.0 and a minimum of
OCAP 1.0 middleware if the devices are capable of **handling** ...
www.cedmagazine.com/article/CA412248.html - Similar pages

[PDF] Data-Over-**Cable**-Service-Interface Specifications Modular-CMTS Edge ...
File Format: PDF/Adobe Acrobat - View as HTML
OCAP™, M-CMTS™, and CableLabs. ®. are trademarks of **Cable** Television ... be set to
"Capability Mismatch" (see the DRRP **error handling** Section 6.2.4). ...
www.**cable**modem.com/downloads/specs/CM-SP-ERMI-I02-051209.pdf - Similar pages

CE Industries Continue To Debate Interactive **Cable** - 1/30/2006 ...
"CE products are going to have **OCAP** and the customer wants **cable** and they can get
that," added Dulchinos. "The question is, what's happening inside the TV? ...
www.twice.com/article/CA6302918.html - Similar pages

Current and reliable Programming Tools news stories
Automated Test Environment performs **OCAP** pre-certification. ... software defects in **error
handling** code by simulating errors and monitoring response in . ...
news.thomasnet.com/news/2693/160 - 58k - Cached - Similar pages

Builder.com: **Handling** Multiple Submits in PHP
Today at the National **Cable** & Telecommunications Association's National Show, ... (4) My
comments on HTML **error handling** were largely misinterpreted. ...
www.stargeek.com/item/181306.html - 70k - Supplemental Result - Cached - Similar pages

[PDF] MHP/**OCAP** iTV Applications in a Nutshell, TS-4255, JavaOne ...
File Format: PDF/Adobe Acrobat - View as HTML

Time-Warner **Cable**: New York City; Milwaukee;. Green Bay; Lincoln, NE; Waco, TX. •. FCC
mention a joint group on technical issues with. integrating **OCAP** in ...
developers.sun.com/learning/javaoneonline/2006/mobility/TS-4255.pdf - Similar pages

Goooooooooogle ▶

Result Page: 1 2 3 4 5 6 7 8 9 10   **Next**

| OCAP error handling cable | Search |

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

---

Google Home - Advertising Programs - Business Solutions - About Google

Web   Images   Video^{New!}   News   Maps   more »

Google

OCAP error cable

[Search]   Advanced Search
Preferences

Web

Results **1 - 10** of about **9,870** for **OCAP** error cable. (0.19 seconds)

Top US Cable Operators Form Java Community Process Expert Group
In the future, most set-top boxes and digital **cable**-ready televisions will be built to the
OCAP specification to allow the **cable** industry to deploy a wider ...
www.embeddedstar.com/press/content/2004/5/embedded14412.html - 17k -
Cached - Similar pages

Concurrent Demonstrates **OCAP** VOD System with Advanced Digital ...
Within the digital **cable** market, Concurrent is a recognized leader, currently serving nine
major ... [an **error** occurred while processing this directive] ...
www.embeddedstar.com/press/content/2003/12/embedded11733.html - 17k -
Cached - Similar pages

[PDF] iTV Stream Analyzer iTV Stream Analyzer - DVi700(MHP)/ATi700(ACAP ...
File Format: PDF/Adobe Acrobat - View as HTML
iTV Stream Analyzer – MHP/ACAP/**OCAP** is the enhanced industry leading ... DVi700
(MHP)/ATi700(ACAP)/OPi700(**OCAP**) ... **Error** Free **Cable** Length: 100M (max) ...
www.dtvinteractive.com/upimg/dvi700-ati700-opi700-eng(1).pdf - Similar pages

[PDF] iTV Stream Station (MHP/**OCAP**/ACAP) iTV Stream Station (MHP/**OCAP** ...
File Format: PDF/Adobe Acrobat - View as HTML
iTV Stream Station – MHP/ACAP/**OCAP** is a portable test head-end for Data Broadcasting.
With iTV ... **Error** Free **Cable** Length: 100M (max) ...
www.dtvinteractive.com/upimg/itg300-eng.pdf - Similar pages

The **Cable** Center
It can be specified as a bit **error** rate (the probability of **error** per bit ... The portion of **OCAP**
which will provide a full programming environment for ...
www.**cable**center.org/education/library/glossaryE.cfm - 54k - Cached - Similar pages

[PDF] OpenWorks Distributor
File Format: PDF/Adobe Acrobat - View as HTML
Local Distributor provides management of **OCAP** download operations and other. site-
specific functions within **cable** network. The Local Distributor includes a ...
www.n2broadband.com/public/site/Primary/productdocs95/Openworks%20Distrb%
20Apr06.pdf - Similar pages

Gaming's Becoming a Big Deal - 7/1/2006 - CED - CA6348439
As of today, only one major operator has deployed a significant number of **OCAP**-enabled
boxes. In short, **cable** operators are interested in providing games ...
www.cedmagazine.com/article/CA6348439.html - Similar pages

[PPT] DOCSIS Overview (PowerPoint Slideshow)
File Format: Microsoft Powerpoint - View as HTML
More CMs per port, high scalability – DOCSIS 2.0 adds even more capacity; Heart of **Cable**
TV Headends of the future. **OCAP** Hardware Platform ...
www.**cable**modem.com/downloads/slideshow.ppt - Similar pages

HDTV Magazine Articles: 2005 HDTV Report, Part 4: Satellite, **Cable** ...
Under the terms, there will be an implementation of bi-directional **OCAP** software on **Cable**

tuners, with a middle-ware specification designed with a universal ...
www.hdtvmagazine.com/articles/2005/10/2005_hdtv_repor_2.php - 38k -
Cached - Similar pages

Flexible digital **cable** network architecture - Patent 7058964
A digital **cable** network architecture and services method includes a **cable** medium and ...
OCAP.TM. also specifies a mechanism for detecting fraudulent and/or ...
www.freepatentsonline.com/7058964.html - 63k - Cached - Similar pages

Goooooooooogle ▶

Result Page: **1** 2 3 4 5 6 7 8 9 10   **Next**

Get the search results most relevant to you. Enable Personalized Search.

| OCAP error cable | Search |

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

---

Google Home - Advertising Programs - Business Solutions - About Google

©2006 Google

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2666	(714/48,25).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/30 11:15
S2	188030	(event or error or alert) with (notif$7 or alert$4 or warning$4 or messag$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/30 12:39
S3	177653	S2 and "2"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/03 14:20
S4	2666	(714/48,25).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/03 14:20
S5	704	S2 and S4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/03 14:20
S6	28	(("3,999,051") or ("4,339,657") or ("4,604,751") or ("5,121,475") or ("5,155,731") or ("5,245,615") or ("5,463,768") or ("5,790,779") or ("5,862,316") or ("6,381,710") or ("6,505,298") or ("6,532,552") or ("6,750,879")).PN. or ((2001/0007138) or (2002/0083214) or (2002/0144193) or (2003/0041291) or (2003/0056155) or (2003/0105995) or (2003/0140285) or (2004/0186603) or (2004/0205339) or (2004/0261116) or (2005/0021766) or (2005/0027851)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/19 12:50
S7	272	address adj collision	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/28 16:43
S8	2327	hybrid adj fiber adj coax	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/28 16:44

S9	119	OCAP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/28 16:44
S10	2327	S8 and S8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/28 16:44
S11	17	S8 and S9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/28 16:44
S12	14	CPE and OCAP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/30 11:17
S13	290769	(remote with (control$4 or manag$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/30 11:24
S14	162779	(clos$5 or kill$4 or destr$8) with (program or application or routine or software)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/30 11:25
S15	1015	S13 same S14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/30 11:30
S16	11074	CPE	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/30 11:25
S17	4	S15 and S16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/30 11:28
S18	119	ocap	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/30 11:28

EAST Search History

S19	1	S15 and S18	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/30 11:28
S20	20153	(set-top adj box) or (cable adj box)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/30 11:30
S21	80	S15 and S20	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/30 11:30
S22	215	(714/27).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/30 12:36
S23	0	S22 and S15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/30 12:37
S24	4	S22 and S14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/30 12:37
S25	17829	remote adj monitor$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/30 12:37
S26	3921914	(fault or error or problem) with (handl$4 or correct$4 or solv$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/30 12:38
S27	193078	(event or error or alert) with (notif$7 or alert$4 or warning$4 or messag$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/30 12:39
S28	49482	S26 and S27	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/30 12:39

EAST Search History

S29	5926	S14 and S28	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/30 12:40
S30	39432	"714"/$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/30 12:40
S31	381	S29 and S30	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/30 15:19
S32	933751	cable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/30 12:41
S33	166	S31 and S32	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/30 12:42
S34	9	S31 and S20	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/30 12:42
S35	4	10/722206	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/30 15:19